


Rock
The Look of
Natural Stone



EARTH
— COLLECTION —
300 x 600 mm



EARTH — COLLECTION —


300x600mm

Driven through trust, innovation and technology, inhalco is one of the leading manufacturers and exporters of ceramic products and tiles. With the state-of-art infrastructure facility, we lead with an intelligent approach to creative design and high-end technology, offering various international standard quality products. Working along with a wide range of products, inhalco is the one-stop solution to redesigning and planning homes and workspaces.

we believe in Keeping up with the new trends of art and infrastructure. Therefore we have introduced a new range - 'Earth Collection', boasting of ethnicity and inspired by nature. With an Intelligent Mix of Design and Technology, the Earth Collection instils colours and Textures from nature. Discover innovative ways to beautify your spaces. It comes in random moulds with 12 mm of thickness. This range is all set to infuse life to your walls and floors due to its unique mould pattern, thickness and rustic glaze.

FORMAT SIZE

30x60CM
12"x24"



ZONAS RESIDENCIALES
RESIDENTIAL AREAS




PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS



JARDINES
GARDENS



INDELIBLE SIGNS OF HISTORY





Our Rustic Matt Finish gives easy solutions to urban areas and heavy traffic places. The best extruded GVT tile with 12 mm thickness and an antislip rate R11. Earth Collection Tiles are highly resistant against abrasion, as well as a strong bending resistance. Earth Collection is perfect for pedestrian areas, squares in the city, traffic areas, entrance of houses, urban area and all kind of heavy duty areas.

Random
MOULDS

Modular
PARKING

Pavimento
INTERIOR & EXTERIOR

Ortiz Bronze



30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Bronze


Size & Thickness :



Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Crema




30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Crema


Size & Thickness :



Packaging Details :


Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Greck



30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Greck


Size & Thickness :



Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Gris



30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Gris

Size & Thickness :



Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Lava



30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Lava

Size & Thickness :



12 MM
THICKNESS

32
RANDOMS

Packaging Details :


Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Milas




30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Milas

Size & Thickness :



Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Rust



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Rust

Size & Thickness :




Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :





Ortiz Seal



30x60cm / 12"x24"
RUSTIC MATT SURFACE
MODULAR PARKING TILES

EARTH
— COLLECTION —



Ortiz Seal

Size & Thickness :



 **12 MM**
THICKNESS

32
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Verified Body



Water
Resistance



Low
Maintenance



Modularity



Technical
Superiority



Application
Wall / Floor



Random
Moulds




2MM Spacer



High
Strength



Ecological





EARTH — COLLECTION — 300 x 600 mm

Driven through trust, innovation and technology, ReyCera is one of the leading manufacturers and exporters of ceramic products and tiles. With the state-of-art infrastructure facility, we lead with an intelligent approach to creative design and high-end technology, offering various international standard quality products. Working along with a wide range of products, ReyCera is the one-stop solution to redesigning and planning homes and workspaces.

At ReyCera, we believe in Keeping up with the new trends of art and infrastructure. Therefore we have introduced a new range - 'Earth Collection', boasting of ethnicity and inspired by nature. With an Intelligent Mix of Design and Technology, the Earth Collection instils colours and Textures from nature. Discover innovative ways to beautify your spaces. It comes in random moulds with 12 mm of thickness. This range is all set to infuse life to your walls and floors due to its unique mould pattern, thickness and rustic glaze.



Beautifying
Spaces
Inspired by
Nature



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS




JARDINES
GARDENS



Stronger
Than The
Shore



EARTH COLLECTION 300 x 600 mm



Our Rustic Matt Finish gives easy solutions to urban areas and heavy traffic places. The best extruded GVT tile with 12 mm thickness and an antislip rate R11. Earth Collection Tiles are highly resistant against abrasion, as well as a strong bending resistance. Earth Collection is perfect for pedestrian areas, squares in the city, traffic areas, entrance of houses, urban area and all kind of heavy duty areas.

Inspired to
Elegant Decor





30x60cm
12 MM
THICKNESS

ALTROZ BEIGE
Random Faces



EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS


ALTROZ BROWN

Random Faces

Modular
PARKING

Random
MOULDS

EARTH COLLECTION



G1



G2



G3



G4





30x60cm



ALTROZ CAFE

Random Faces

Modular
PARKING

Random
MOULDS

EARTH

COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ CANYON

Random Faces



EARTH

COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS


ALTROZ CASTLE

Random Faces



EARTH

COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ CHOCO
Random Faces

Modular
PARKING

Random
MOULDS

EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ CONCRETE
Random Faces

Modular
PARKING

Random
MOULDS

EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ FLUX
Random Faces



EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ JET
Random Faces

modular
PARKING

Random
MOULDS

EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ KOLA
Random Faces

modular
PARKING

Random
MOULDS

EARTH
COLLECTION



G1



G2



G3



G4





30x60cm
12 MM
THICKNESS

ALTROZ SLATE

Random Faces



EARTH

COLLECTION



G1



G2



G3



G4





30x60cm

12 MM
THICKNESS

ALTROZ TERRA
Random Faces

modular
PARKING

Random
MOULDS

EARTH
COLLECTION



G1



G2



G3



G4



TECHNICAL FEATURES

STANDARD UNI EN 14411 - ISO 13006 Annex G Group Blb

TILE TYPE	GLAZED PORCELAIN TILE GROUP Blb	REFERENCE STANDARD
MANUFACTURING PROCESS	SINGLE FIRING	DRY PRESSED PORCELAIN TILE
SIZES	LENGTH AND WIDTH $\pm 0.6\%$ max LINERITY $\pm 0.5\%$ max THICKNESS $\pm 5\%$ max	UNI EN ISO 10545/2
WATER ABSORPTION	$0.08\% < E \leq 1\%$	UNI EN ISO 10545/3
BENDING STRENGTH	$S \geq 1300$ N $R \geq 35$ N/MM ²	UNI EN ISO 10545/4
ABRASION RESISTANCE (GLAZED TILES)	PLEASE CHECK FOR EACH ITEM	UNI EN ISO 10545/7
THERMAL SHOCK	NO SAMPLE SHOW VISIBLE DEFECTS	UNI EN ISO 10545/9
FROST RESISTANCE	IT STANDS THE TEST	UNI EN ISO 10545/12
CHEMICAL RESISTANCE (ACIDS AND ALKALIS)	MINIMUM TYPE GLB	UNI EN ISO 10545/13
STAIN RESISTANCE	MINIMUM CLASS 4	UNI EN ISO 10545/14
SLIP RESISTANCE	R10	DIN 51130
SCRATCH HARDNESS OF SURFACE	8	UNI EN 101

Technical Features:



FIREPROOF
Fire-resistant products,
that does not emit
smoke or toxic substances.



UNALTERABLE COLORS
Colors are totally stable,
and cannot be altered by
the exposure to the sun.



HYGIENIC
It does not retain organic
substances or bacteria,
thus preventing its proliferation.



WEAR RESISTANT
Resistant to abrasion,
and wear, which makes
it a durable product.



WATER RESISTANT
Surface with low level of absorption,
which makes it resistant to
liquids and moisture.



RESISTANT TO CHEMICALS
Chemicals as detergents,
or solvents do not
alter its surface.



RESISTANT TO STAINS
Its low porosity makes
it a stain resistant tile,
resulting in easier cleanability.



ANTI SLIP
Its surface is non-slip,
responding to the
international standards in force.



SCRATCH RESISTANT
The hardness of its surface,
makes it scratch
resistant and hard-wearing.



ECOLOGIC
100% natural product,
that can be easily recycled.

Application Area:



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS



JARDINES
GARDENS

Packaging Details:

Size	pcs / Box	m ² / Box	Kg / Box
300x600mm	4 pcs.	0.72 Sq/Mtr.	18 KG (Approx)