



uodode of 200x Uododo



wood cluster is all for your finest living close to the nature...



Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



application and features

APPLICATION



INDOOR FLOORS



KITCHEN COUNTER TOPS



OUTDOOR FLOORS



INTERIOR FURNISHING AND DESIGN ELEMENTS



INDOOR WALLS



EXTERIOR FACADES



BATHROOM VANITY TOPS



STAIN PROOF



ABSORBENT



CHEMICAL RESISTENCE

SCRATCH RESISTENCE



FEATURES





DURABLE





AND SHELVES



HYGIENIC



FROST PROOF



UV RAY RESISTENCE



Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.













ALPINE TEAK

200X1200MM / 20X120CM

RANDOMS 05

THICKNESS 9MM

FINISH MATT RELIEF

V2









ASTON PINE

200X1200MM / 20X120CM

RANDOMS

THICKNESS 9MM

FINISH MATT RELIEF



V2

ASTONE PINE







Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.













BALBOA MOKA

200X1200MM / 20X120CM

RANDOMS

THICKNESS 9MM

FINISH MATT RELIEF



V1





BALBOA MEHOGANY



BALBOA MOKA







Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.











BIRCHWOOD ANCIENT

200X1200MM / 20X120CM



BIRCHWOOD NATURAL



BIRCHWOOD FOREST











COLORS 3



Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.









BOHEMIAN

BOHEMIAN WHITE OAK

200X1200MM / 20X120CM

RANDOMS

07

THICKNESS

9MM

FINISH CARVING





Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.











BOSCO BEIGE

200X1200MM / 20X120CM

RANDOMS 08 THICKNESS 9MM FINISH MATT RELIEF



BOSCO BEIGE



BOSCO BROWN



BOSCO TEAK



BOSCO IVORY





N Forsted Alla calls AHE P Tenjory--

Preview of Tiles : BOSCO IVORY



CALDERA

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.











CALDERA

CALDERA GREY

200X1200MM / 20X120CM

RANDOMS

07

THICKNESS 9MM

FINISH MATT RELIEF



V1



CALDERA GREY











CADLERA OAK







Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.











HABANA

HABANA BLACK

200X1200MM / 20X120CM

RANDOMS

THICKNESS 9MM

FINISH CARVING



V1



HABANA NATURAL



HABANA BLACK



HOUSTAN COSTANO

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.









HOUSTAN COSTANO

NEST OAK

200X1200MM / 20X120CM

RANDOMS 10 THICKNESS 9MM FINISH CARVING



Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.









MADEIRA OAK 200X1200MM / 20X120CM



RANDOMS 12 THICKNESS 9MM

FINISH MATT RELIEF





MADEIRA OAK





MADEIRA WENGE







MADEIRA TEAK



MOHAWK

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.









MOHAWK

MOHAWK NATURAL

200X1200MM / 20X120CM

RANDOMS

THICKNESS 9MM

FINISH MATT RELIEF



V2



MOHAWK NATURAL



MOHAWK WALNUT



COLORS 2



Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.









SEQUIOA CENIZA

200X1200MM / 20X120CM













SEQUIOA CENIZA



SEQUIOA OAK



SEQUIOA FOREST



COLORS 3



SEQUOIA FOREST

TIMBER MAHOGANY





LAYING SOLUTIONS



The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.

GVT STONEWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E ≤ 0.5%

TECHNICAL SPECIFICATIONS			STANDARDS	VALUES REQUIRED	OUR Va
				RECTIFIED	MAT
DIMENSIONS		Length and width	150 10545-2	<u>+</u> 0,3%, max 1 mm	In Acco
		Thickness		<u>+</u> 5%, max 0,5 mm	in Acco
		Wedging		<u>+</u> 0,3%, max 1,5 mm	In Acco
		Straightness of the edges		± 0,3%, max 0,8 mm	In Accor
		Flatness		<u>+</u> 0,4%, max 1,8 mm	In Accor
STRUCTURE	•	Water absorption - average value %	ISO 10545-3	≤ 0,5%	In Accor
		Breaking strength	- ISO 10545-4	S <u>></u> 1300 N	S <u>></u> 200
		Modulus of rupter		R≥ 35 N/mm²	In Accor
		Resistance to surface abrasion	ISO 10545-7	According to classification indicater by manufacture	PEI I
THERMAL SHOCK	↓ <u></u>]↓	Coefficient of thermal linear expansion	ISO 10545-8	9 x 10 ⁴ max	In Accor
		Thermal shock resistance	ISO 10545-9	Resistant	Resista
	*	Resistance to frost	ISO 10545-12	Resistant	Resist
SAFETY		Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9
CHEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	- ISO 10545-13	Class GHC Min.	Class G
		Resistance to low concentrations of acids and alkalis		Class GLC Min.	Class (
	•	Stain resistance	150 10545-14	Min. class 3	5



INSTALLATION ADVICE



The longest side should be staggered no more than 300mm when laid in running bond.

V SHADES



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

PACKAGING

SIZE	THICKNESS	PCS./	
200x1200 mm	9 MM	5	

FEATURES













